



# Generating Power **SOLUTIONS**



### 3Phase Genset Specification 400/230V, 50HZ/1500RPM

**DONGFENG CUMMINS SERIES**

Genset Model	Standby Power		Prime Power		Engine Model	Cylinder	Govonment	Dis (L)	Dimension L*W*H (MM)	
	kVA	kW	kVA	kW					Open	Silent
RD22C/S	22	18	20	16	4B3.9-G11	4L	Machiney	3.9	1650*750*1300	2200*960*1300
RD28C/S	28	22	25	20	4B3.9-G1	4L	Machiney	3.9	1650*750*1300	2200*960*1300
RD28C/S-I	28	22	25	20	4B3.9-G2	4L	Electronic	3.9	1650*750*1300	2200*960*1300
RD30C/S	30	24	28	22	4B3.9-G12	4L	Electronic	3.9	1650*750*1300	2200*960*1300
RD41C/S	41	33	38	30	4BT3.9-G1	4L	Machiney	3.9	1700*750*1300	2200*960*1300
RD41C/S-I	41	33	38	30	4BT3.9-G2	4L	Electronic	3.9	1700*750*1300	2200*960*1300
RD55C/S	55	44	50	40	4BTA3.9-G2	4L	Electronic	3.9	1800*750*1300	2200*960*1300
RD66C/S	66	53	60	48	4BTA3.9-G2	4L	Electronic	3.9	1900*750*1300	2300*960*1300
RD83C/S	83	66	75	60	4BTA3.9-G11	4L	Electronic	3.9	1900*750*1300	2300*960*1300
RD96C/S	96	77	88	70	6BT5.9-G1	6L	Electronic	5.9	2200*900*1500	2900*1100*1600
RD96C/S-I	96	77	88	70	6BT5.9-G2	6L	Electronic	5.9	2200*900*1500	2900*1100*1600
RD110C/S	110	88	100	80	6BT5.9-G2	6L	Electronic	5.9	2200*900*1500	2900*1100*1600
RD124C/S	124	99	113	90	6BTA5.9-G2	6L	Electronic	5.9	2200*900*1500	2900*1100*1600
RD138C/S	138	110	125	100	6BTAA5.9-G2	6L	Electronic	5.9	2200*900*1500	2900*1100*1600
RD165C/S	165	132	150	120	6BTAA5.9-G12	6L	Electronic	5.9	2400*900*1500	3100*1100*1600
RD206C/S	206	165	188	150	6CTA8.3-G1	6L	Machiney	8.3	2450*950*1650	3100*1100*1600
RD206C/S-I	206	165	188	150	6CTA8.3-G2	6L	Electronic	8.3	2450*950*1650	3100*1100*1600
RD220C/S	220	176	200	160	6CTAA8.3-G2	6L	Electronic	8.3	2450*950*1650	3400*1250*1600
RD275C/S	275	220	250	200	6LTAA8.9-G2	6L	Electronic	8.9	2550*950*1650	3400*1250*1600
RD275C/S-I	275	220	250	200	6LTAA8.9-G3	6L	Electronic	8.9	2600*1000*1800	3400*1250*1600
RD303C/S	303	242	275	220	6LTAA9.5-G3	6L	Electronic	9.5	2600*1000*1800	3400*1250*1600
RD358C/S	358	286	325	260	6LTAA9.5-G1	6L	Electronic	9.5	2600*1000*1800	3400*1250*1600
RD413C/S	413	330	375	300	6ZTAA13-G3	6L	Electronic	13	3250*1400*2100	3400*1250*1600
RD481C/S	481	385	438	350	6ZTAA13-G2	6L	Electronic	13	3250*1400*2100	3400*1250*1750
RD495C/S	495	396	450	360	6ZTAA13-G4	6L	Electronic	13	3250*1400*2100	4050*1400*2150
RD495C/S-I	495	396	450	360	QSZ13-G2	6L	Electronic	13	3250*1400*2100	4050*1400*2150
RD550C/S	550	440	500	400	QSZ13-G3	6L	Electronic	13	3250*1400*2100	4700*1700*2450

### 3Phase Genset Specification 400/230V, 60HZ/1800RPM

**DONGFENG CUMMINS SERIES**

Genset Model	Standby Power		Prime Power		Engine Model	Cylinder	Govonment	Dis (L)	Dimension L*W*H (MM)	
	kVA	kW	kVA	kW					Open	Silent
RD25C/S	25	20	23	18	4B3.9-G11	4L	Electronic	3.9	1650*750*1300	2200*960*1300
RD30C/S	30	24	28	22	4B3.9-G2	4L	Electronic	3.9	1650*750*1300	2200*960*1300
RD36C/S	36	29	33	26	4B3.9-G12	4L	Electronic	3.9	1650*750*1300	2200*960*1300
RD50C/S	50	40	45	36	4BT3.9-G2	4L	Electronic	3.9	1700*750*1300	2200*960*1300
RD76C/S	76	61	69	55	4BTA3.9-G2	4L	Electronic	3.9	1800*750*1300	2300*960*1300
RD83C/S	83	66	75	60	4BTA3.9-G2	4L	Electronic	3.9	1900*750*1300	2300*960*1300
RD96C/S	96	77	88	70	4BTA3.9-G11	4L	Electronic	3.9	1900*750*1300	2300*960*1300
RD124C/S	124	99	113	90	6BT5.9-G2	4L	Electronic	5.9	2200*900*1300	2900*960*1300
RD138C/S	138	110	125	100	6BTA5.9-G2	4L	Electronic	5.9	2200*900*1500	2900*1100*1600
RD154C/S	154	123	140	112	6BTAA5.9-G2	6L	Electronic	5.9	2200*900*1500	2900*1100*1600
RD179C/S-I	179	143	163	130	6BTAA5.9-G12	6L	Electronic	5.9	2200*900*1500	2900*1100*1600
RD206C/S	206	165	188	150	6CTA8.3-G2	6L	Electronic	8.3	2450*950*1650	3100*1100*1600
RD234C/S	234	187	213	170	6CTAA8.3-G2	6L	Electronic	8.3	2450*950*1650	3100*1100*1600
RD303C/S	303	242	275	220	6LTAA8.9-G2	6L	Electronic	8.9	2450*950*1650	3100*1100*1600
RD303C/S-I	303	242	275	220	6LTAA8.9-G3	6L	Electronic	8.9	2450*950*1650	3100*1100*1600
RD344C/S	344	275	313	250	6LTAA9.5-G3	6L	Electronic	9.5	2450*950*1650	3100*1100*1600
RD323C/S	323	259	294	235	6LTAA9.5-G1	6L	Electronic	9.5	2600*1000*1800	3400*1250*1600
RD413C/S	413	330	375	300	6ZTAA13-G3	6L	Electronic	13	3250*1400*2100	3400*1250*1600
RD481C/S	481	385	438	350	6ZTAA13-G2	6L	Electronic	13	3250*1400*2100	3400*1250*1750
RD495C/S-I	495	396	450	360	QSZ13-G2	6L	Electronic	13	3250*1400*2100	4050*1400*2150
RD550C/S	550	440	500	400	QSZ13-G3	6L	Electronic	13	3250*1400*2100	4700*1700*2450

**Rising Power**

[www.fzrisingpower.com](http://www.fzrisingpower.com)

**FuZhou Rising Power Equipment Co., Ltd**

Email: [rita@fzrisingpower.com](mailto:rita@fzrisingpower.com)

Tel/Whatsapp: 0086 15060430956