



# Generating Power **SOLUTIONS**



### 3Phase Genset Specification 400/230V, 50HZ/1500RPM

**FAWDE SERIES**

Genset Model	Standby Power		Prime Power		Engine Model	Cylinder	Govonment	Dis (L)	Dimension L*W*H (MM)	
	kVA	kW	kVA	kW					Open	Silent
RD17F/S	17	13	15	12	4DW81-23D	4L	Machiney	2.27	1350*750*1050	2000*860*1050
RD22F/S	22	18	20	16	4DW91-29D	4L	Machiney	2.54	1350*750*1050	2000*860*1050
RD28F/S	28	22	25	20	4DW92-35D	4L	Machiney	2.54	1450*750*1050	2100*940*1090
RD33F/S	33	26	30	24	4DW92-39D	4L	Electronic	2.54	1600*750*1100	2100*940*1090
RD34F/S	34	27	31	25	4DW93-42D	4L	Machiney	2.54	1700*750*1100	2100*940*1090
RD34F/S-I	34	28	31	25	4DX21-45D	4L	Machiney	3.86	1700*750*1100	2100*940*1090
RD41F/S	41	33	38	30	4DX21-53D	4L	Electronic	3.86	1700*750*1100	2200*990*1290
RD41F/S-I	41	33	37	30	4DX22-50D	4L	Machiney	3.86	1700*750*1100	2200*990*1290
RD55F/S	55	44	50	40	4DX22-65D	4L	Electronic	3.86	1800*750*1150	2200*990*1290
RD55F/S-I	55	44	50	40	4DX23-65D	4L	Machiney	3.86	1800*750*1150	2200*990*1290
RD69F/S	69	55	63	50	4DX23-78D	4L	Electronic	3.86	2000*750*1200	2380*990*1300
RD76F/S	76	61	69	55	4110/125Z-09D	4L	Electronic	4.75	2000*750*1200	2380*990*1300
RD96F/S	96	77	88	70	CA4F2-12D	4L	Electronic	4.75	2150*750*1200	3000*1130*1670
RD110F/S	110	88	100	80	6CDF2D-14D	6L	Machiney	6.55	2300*1000*1500	3200*1130*1670
RD138F/S	138	110	125	100	CA6DF2-17D	6L	Machiney	7.13	2350*1000*1500	3200*1130*1670
RD165F/S	165	132	150	120	CA6DF2-19D	6L	Electronic	7.13	2550*1000*1600	3400*1100*1800
RD206F/S	206	165	188	150	CA6DL1-24D	6L	Electronic	7.7	2700*1000*1800	3700*1100*2000
RD248F/S	248	198	225	180	CA6DL2-27D	6L	Electronic	8.57	2750*1000*1800	3700*1100*2000
RD275F/S	275	220	250	200	CA6DL2-30D	6L	Electronic	8.57	3000*1120*1900	3700*1100*2000
RD344F/S	344	275	313	250	CA6DM2J-39D	6L	Electronic	11.04	3000*1120*1900	4200*1400*2000
RD371F/S	371	297	338	270	CA6DM2J-41D	6L	Electronic	11.04	3000*1120*1900	4200*1400*2000
RD413F/S	413	330	375	300	CA6DN1J-45D	6L	Electronic	12.53	3200*1120*1900	4200*1400*2000

### 3Phase Genset Specification 400/230V, 60HZ/1800RPM

**FAWDE SERIES**

Genset Model	Standby Power		Prime Power		Engine Model	Cylinder	Govonment	Dis (L)	Dimension L*W*H (MM)	
	kVA	kW	kVA	kW					Open	Silent
RD21F/S	21	17	19	15	4DW81-28D	4L	Machiney	2.27	1350*750*1050	2000*860*1050
RD30F/S	30	24	28	22	4DW91-38D	4L	Machiney	2.54	1450*750*1050	2100*940*1090
RD34F/S	34	28	31	25	4DW92-42D	4L	Machiney	2.54	1700*750*1100	2100*940*1090
RD34F/S-I	34	28	31	25	4DW92-45D	4L	Machiney	2.54	1700*750*1100	2100*940*1090
RD41F/S	41	33	38	30	4DW93-50D	4L	Electronic	2.54	1700*750*1100	2200*990*1290
RD41F/S-I	41	33	38	30	4DX21-53D	4L	Machiney	3.86	1700*750*1100	2200*990*1290
RD50F/S	50	40	45	36	4DX21-61D	4L	Electronic	3.86	1800*750*1150	2200*990*1290
RD48F/S	48	39	44	35	4DX22-60D	4L	Machiney	3.86	1800*750*1150	2200*990*1290
RD62F/S	62	50	56	45	4DX22-75D	4L	Electronic	3.86	2000*750*1200	2380*990*1300
RD69F/S	69	55	63	50	4DX23-82D	4L	Machiney	3.86	2000*750*1200	2380*990*1300
RD76F/S	76	61	69	55	4DX23-90D	4L	Electronic	3.86	2150*750*1200	3000*1130*1670
RD89F/S	89	72	81	65	4110/125Z-11D	4L	Electronic	4.75	2300*1000*1500	3200*1130*1670
RD117F/S	117	94	106	85	CA4F2-14D	4L	Electronic	6.55	2350*1000*1500	3200*1130*1670
RD131F/S	131	105	119	95	6CDF2D-16D	6L	Machiney	6.55	2550*1000*1600	3400*1100*1800
RD151F/S	151	121	138	110	CA6DF2-18D	6L	Machiney	7.13	2700*1000*1800	3700*1100*2000
RD179F/S	179	143	163	130	CA6DF2-21D	6L	Electronic	8.57	2750*1000*1800	3700*1100*2000
RD227F/S	227	182	206	165	CA6DL1-27D	6L	Electronic	8.57	3000*1120*1900	3700*1100*2000
RD275F/S	275	220	250	200	CA6DL2-32D	6L	Electronic	11.4	3000*1120*1900	4200*1400*2000
RD371F/S	371	297	338	270	CA6DM2J-42D	6L	Electronic	12.53	3000*1120*1900	4200*1400*2000
RD413F/S	413	330	375	300	CA6DN1J-45D	6L	Electronic	12.53	3000*1120*1900	4200*1400*2000

**Rising Power**

[www.risingpower.com](http://www.risingpower.com)

**FuZhou Rising Power Equipment Co., Ltd**

Email: [rita@fzrisingpower.com](mailto:rita@fzrisingpower.com)

Tel/Whatsapp: 0086 15060430956